

						CIF KLANG OR SINGAPORE		
DESCRIPTION		SIZE		I.D/MM	KG/PC	USD/PC	USD/T	
SLIP- ON 150LB	A105	1/2			0.41	0.48	1178.03	
SLIP- ON 150LB	A105	3/4			0.57	0.67	1178.03	
SLIP- ON 150LB	A105	1			0.86	0.97	1133.51	
SLIP- ON 150LB	A105	1 1/4			1.03	1.12	1088.99	
SLIP- ON 150LB	A105	1 1/2			1.32	1.44	1088.99	
SLIP- ON 150LB	A105	2			2.09	2.12	1014.79	
SLIP- ON 150LB	A105	2 1/2			3.25	3.11	955.43	
SLIP- ON 150LB	A105	3			3.91	3.74	955.43	
SLIP- ON 150LB	A105	3 1/2			5.00	4.78	955.43	
SLIP- ON 150LB	A105	4			5.50	5.25	955.43	
SLIP- ON 150LB	A105	5			6.22	5.94	955.43	
SLIP- ON 150LB	A105	6			7.76	7.41	955.43	
SLIP- ON 150LB	A105	8			12.60	12.04	955.43	
SLIP- ON 150LB	A105	10			17.60	16.82	955.43	
SLIP- ON 150LB	A105	12			27.80	26.56	955.43	
SLIP- ON 150LB	A105	14			35.20	33.63	955.43	
SLIP- ON 150LB	A105	16			45.30	43.28	955.43	
SLIP- ON 150LB	A105	18			49.70	47.48	955.43	
SLIP- ON 150LB	A105	20			65.60	62.68	955.43	
SLIP- ON 150LB	A105	24			90.50	86.47	955.43	
SLIP- ON 150LB	A105	26			107.00	113.35	1059.31	
SLIP- ON 150LB	A105	28			129.20	136.86	1059.31	
W/N 150LB	A105	1/2			0.50	0.74	1474.84	
W/N 150LB	A105	3/4			0.75	1.11	1474.84	
W/N 150LB	A105	1			1.02	1.50	1474.84	
W/N 150LB	A105	1 1/4			1.33	1.96	1474.84	
W/N 150LB	A105	1 1/2			1.81	2.67	1474.84	
W/N 150LB	A105	2			2.59	2.86	1103.83	
W/N 150LB	A105	2 1/2			4.06	4.30	1059.31	
W/N 150LB	A105	3			5.18	5.49	1059.31	
W/N 150LB	A105	3 1/2			6.08	6.44	1059.31	
W/N 150LB	A105	4			6.91	7.32	1059.31	
W/N 150LB	A105	5			8.75	9.27	1059.31	
W/N 150LB	A105	6			11.26	11.93	1059.31	
W/N 150LB	A105	8			18.00	19.07	1059.31	
W/N 150LB	A105	10			24.90	27.49	1103.83	
W/N 150LB	A105	12			38.60	42.61	1103.83	
W/N 150LB	A105	14			50.60	55.85	1103.83	
W/N 150LB	A105	16			63.90	70.53	1103.83	

W/N 150LB	A105	18			74.90	82.68	1103.83	
W/N 150LB	A105	20			93.50	114.31	1222.56	
W/N 150LB	A105	24			133.00	162.60	1222.56	
BLIND 150LB	A105	1/2			0.43	0.37	851.54	
BLIND 150LB	A105	3/4			0.62	0.53	851.54	
BLIND 150LB	A105	1			0.87	0.74	851.54	
BLIND 150LB	A105	1 1/4			1.16	0.99	851.54	
BLIND 150LB	A105	1 1/2			1.62	1.38	851.54	
BLIND 150LB	A105	2			2.46	2.06	836.70	
BLIND 150LB	A105	2 1/2			3.99	3.34	836.70	
BLIND 150LB	A105	3			4.98	4.17	836.70	
BLIND 150LB	A105	3 1/2			5.90	4.94	836.70	
BLIND 150LB	A105	4			7.41	6.20	836.70	
BLIND 150LB	A105	5			8.67	7.25	836.70	
BLIND 150LB	A105	6			11.30	9.45	836.70	
BLIND 150LB	A105	8			19.90	16.65	836.70	
BLIND 150LB	A105	10			29.00	24.26	836.70	
BLIND 150LB	A105	12			43.70	36.56	836.70	
BLIND 150LB	A105	14			59.42	49.72	836.70	
BLIND 150LB	A105	16			77.11	64.52	836.70	
BLIND 150LB	A105	18			94.50	79.07	836.70	
BLIND 150LB	A105	20			123.00	102.91	836.70	
BLIND 150LB	A105	24			188.00	157.30	836.70	
BLIND 150LB	A105	32			395.00	336.36	851.54	
SS400, P/L FF		3/8"	5K	17.80	0.27	0.30	1103.83	
SS400, P/L FF		1/2"	5K	22.20	0.30	0.33	1103.83	
SS400, P/L FF		3/4"	5K	27.70	0.37	0.41	1103.83	
SS400, P/L FF		1"	5K	34.50	0.45	0.50	1103.83	
SS400, P/L FF		1-1/4"	5K	43.20	0.78	0.86	1103.83	
SS400, P/L FF		1-1/2"	5K	49.10	0.83	0.92	1103.83	
SS400, P/L FF		2"	5K	61.10	1.07	0.93	866.39	
SS400, P/L FF		2-1/2"	5K	77.10	1.49	1.29	866.39	
SS400, P/L FF		3"	5K	90.00	1.99	1.72	866.39	
SS400, P/L FF		3-1/2"	5K	102.60	2.09	1.81	866.39	
SS400, P/L FF		4"	5K	115.40	2.39	2.07	866.39	
SS400, P/L FF		5"	5K	141.20	3.23	2.80	866.39	
SS400, P/L FF		5" ID	5K	143.00	3.18	2.76	866.39	
SS400, P/L FF		6"	5K	166.60	4.41	3.82	866.39	
SS400, P/L FF		6" ID	5K	171.00	4.27	3.70	866.39	
SS400, P/L FF		8"	5K	218.00	6.33	5.48	866.39	
SS400, P/L FF		8" ID	5K	222.00	6.03	5.22	866.39	
SS400, P/L FF		10"	5K	269.50	9.45	8.19	866.39	

SS400, P/L FF		10" ID	5K	276.00	8.91	7.72	866.39	
SS400, P/L FF		12"	5K	321.00	10.30	8.92	866.39	
SS400, P/L FF		12" ID	5K	327.00	9.81	8.50	866.39	
SS400, P/L FF		14"	5K	358.10	14.00	12.13	866.39	
SS400, P/L FF		16"	5K	409.00	16.90	14.64	866.39	
SS400, P/L FF		18"	5K	460.00	21.60	18.71	866.39	
SS400, P/L FF		20"	5K	511.00	23.10	20.01	866.39	
SS400, P/L FF		22"	5K	562.00	30.30	26.25	866.39	
SS400, P/L FF		24"	5K	613.00	32.70	28.33	866.39	
SS400, P/L FF		26"	5K	664.00	35.90	34.30	955.43	
SS400, P/L FF		28"	5K	715.00	38.20	36.50	955.43	
SS400, P/L FF		30"	5K	766.00	48.70	46.53	955.43	
SS400, P/L FF		3/8"	10K	17.80	0.52	0.47	896.07	
SS400, P/L FF		1/2"	10K	22.20	0.57	0.51	896.07	
SS400, P/L FF		3/4"	10K	27.70	0.73	0.65	896.07	
SS400, P/L FF		1"	10K	34.50	1.13	1.01	896.07	
SS400, P/L FF		1-1/4"	10K	43.20	1.48	1.33	896.07	
SS400, P/L FF		1-1/2"	10K	49.10	1.56	1.40	896.07	
SS400, P/L FF		2"	10K	61.10	1.88	1.63	866.39	
SS400, P/L FF		2-1/2"	10K	77.10	2.60	2.25	866.39	
SS400, P/L FF		3"	10K	90.00	2.61	2.26	866.39	
SS400, P/L FF		3 1/2"	10K	102.60	2.76	2.39	866.39	
SS400, P/L FF		4"	10K	115.40	3.14	2.72	866.39	
SS400, P/L FF		5"	10K	141.20	4.77	4.13	866.39	
SS400, P/L FF		5" ID	10K	143.00	4.71	4.08	866.39	
SS400, P/L FF		6"	10K	166.60	6.34	5.49	866.39	
SS400, P/L FF		6" ID	10K	171.00	6.15	5.33	866.39	
SS400, P/L FF		8"	10K	218.00	7.53	6.52	866.39	
SS400, P/L FF		8" ID	10K	222.00	7.45	6.45	866.39	
SS400, P/L FF		10"	10K	269.50	11.80	10.22	866.39	
SS400, P/L FF		10" ID	10K	276.00	11.69	10.13	866.39	
SS400, P/L FF		12"	10K	321.00	13.60	11.78	866.39	
SS400, P/L FF		12" ID	10K	327.00	12.80	11.09	866.39	
SS400, P/L FF		14"	10K	358.10	16.40	14.21	866.39	
SS400, P/L FF		16"	10K	409.00	23.00	19.93	866.39	
SS400, P/L FF		18"	10K	460.00	29.50	25.56	866.39	
SS400, P/L FF		20"	10K	511.00	33.50	29.02	866.39	
SS400, P/L FF		22"	10K	562.00	43.10	37.34	866.39	
SS400, P/L FF		24"	10K	613.00	45.70	39.59	866.39	
SS400, P/L FF		26"	10K	664.00	52.10	49.00	940.59	
SS400, P/L FF		28"	10K	715.00	59.50	55.97	940.59	
SS400, P/L FF		30"	10K	766.00	73.20	68.85	940.59	
ST37.2, P/L FF		1/2"	PN10	22.00	0.53	0.47	896.07	

ST37.2, P/L FF		3/4"	PN10	28.00	0.90	0.81	896.07	
ST37.2, P/L FF		1"	PN10	35.00	1.10	0.99	896.07	
ST37.2, P/L FF		1 1/4"	PN10	43.00	1.50	1.34	896.07	
ST37.2, P/L FF		1 1/2"	PN10	50.00	1.70	1.52	896.07	
ST37.2, P/L FF		2"	PN10	62.00	2.40	2.08	866.39	
ST37.2, P/L FF		2 1/2"	PN10	75.00	2.90	2.51	866.39	
ST37.2, P/L FF		3"	PN10	91.00	3.50	3.03	866.39	
ST37.2, P/L FF		4"	PN10	116.00	3.90	3.38	866.39	
ST37.2, P/L FF		5"	PN10	144.00	5.40	4.68	866.39	
ST37.2, P/L FF		6"	PN10	171.00	6.50	5.63	866.39	
ST37.2, P/L FF		8"	PN10	221.00	9.30	8.06	866.39	
ST37.2, P/L FF		10"	PN10	276.00	11.00	9.53	866.39	
ST37.2, P/L FF		12"	PN10	327.00	13.80	11.96	866.39	
ST37.2, P/L FF		14"	PN10	359.00	19.10	16.55	866.39	
ST37.2, P/L FF		16"	PN10	410.00	24.20	20.97	866.39	
ST37.2, P/L FF		18"	PN10	462.00	27.80	24.09	866.39	
ST37.2, P/L FF		20"	PN10	513.00	33.90	29.37	866.39	
ST37.2, P/L FF		24"	PN10	622.00	39.60	34.31	866.39	
ST37.2, P/L FF		1/2"	PN16	22.00	0.53	0.47	896.07	
ST37.2, P/L FF		3/4"	PN16	28.00	0.90	0.81	896.07	
ST37.2, P/L FF		1"	PN16	35.00	1.10	0.99	896.07	
ST37.2, P/L FF		1-1/4"	PN16	43.00	1.50	1.34	896.07	
ST37.2, P/L FF		1-1/2"	PN16	50.00	1.70	1.52	896.07	
ST37.2, P/L FF		2"	PN16	62.00	2.40	2.08	866.39	
ST37.2, P/L FF		2-1/2"	PN16	75.00	2.90	2.51	866.39	
ST37.2, P/L FF		3"	PN16	91.00	3.50	3.03	866.39	
ST37.2, P/L FF		4"	PN16	116.00	3.90	3.38	866.39	
ST37.2, P/L FF		5"	PN16	144.00	5.40	4.68	866.39	
ST37.2, P/L FF		6"	PN16	171.00	6.50	5.63	866.39	
ST37.2, P/L FF		8"	PN16	221.00	9.00	7.80	866.39	
ST37.2, P/L FF		10"	PN16	276.00	12.80	11.09	866.39	
ST37.2, P/L FF		12"	PN16	327.00	16.80	14.56	866.39	
ST37.2, P/L FF		14"	PN16	359.00	22.60	19.58	866.39	
ST37.2, P/L FF		16"	PN16	410.00	28.80	24.95	866.39	
ST37.2, P/L FF		18"	PN16	462.00	40.30	34.92	866.39	
ST37.2, P/L FF		20"	PN16	513.00	48.30	41.85	866.39	
ST37.2, P/L FF		24"	PN16	613.00	56.50	48.95	866.39	

Note:Price is valid in 7 days.

Price is for your reference only, the exact price is subject to the offer.

April.13th,2015

FOB TIANJIN PORT	
USD/PC	USD/T
0.47	1151.03
0.66	1151.03
0.95	1106.51
1.09	1061.99
1.4	1061.99
2.06	987.79
3.02	928.43
3.63	928.43
4.64	928.43
5.11	928.43
5.77	928.43
7.2	928.43
11.7	928.43
16.34	928.43
25.81	928.43
32.68	928.43
42.06	928.43
46.14	928.43
60.91	928.43
84.02	928.43
110.46	1032.31
133.37	1032.31
0.72	1447.84
1.09	1447.84
1.48	1447.84
1.93	1447.84
2.62	1447.84
2.79	1076.83
4.19	1032.31
5.35	1032.31
6.28	1032.31
7.13	1032.31
9.03	1032.31
11.62	1032.31
18.58	1032.31
26.81	1076.83
41.57	1076.83
54.49	1076.83
68.81	1076.83

80.65	1076.83
111.78	1195.56
159.01	1195.56
0.35	824.54
0.51	824.54
0.72	824.54
0.96	824.54
1.34	824.54
1.99	809.7
3.23	809.7
4.03	809.7
4.78	809.7
6	809.7
7.02	809.7
9.15	809.7
16.11	809.7
23.48	809.7
35.38	809.7
48.11	809.7
62.44	809.7
76.52	809.7
99.59	809.7
152.22	809.7
325.69	824.54
0.29	1076.83
0.32	1076.83
0.4	1076.83
0.48	1076.83
0.84	1076.83
0.89	1076.83
0.9	839.39
1.25	839.39
1.67	839.39
1.75	839.39
2.01	839.39
2.71	839.39
2.67	839.39
3.7	839.39
3.58	839.39
5.31	839.39
5.06	839.39
7.93	839.39

7.48	839.39
8.65	839.39
8.23	839.39
11.75	839.39
14.19	839.39
18.13	839.39
19.39	839.39
25.43	839.39
27.45	839.39
33.33	928.43
35.47	928.43
45.21	928.43
0.45	869.07
0.5	869.07
0.63	869.07
0.98	869.07
1.29	869.07
1.36	869.07
1.58	839.39
2.18	839.39
2.19	839.39
2.32	839.39
2.64	839.39
4	839.39
3.95	839.39
5.32	839.39
5.16	839.39
6.32	839.39
6.25	839.39
9.9	839.39
9.81	839.39
11.42	839.39
10.74	839.39
13.77	839.39
19.31	839.39
24.76	839.39
28.12	839.39
36.18	839.39
38.36	839.39
47.6	913.59
54.36	913.59
66.87	913.59
0.46	869.07

0.78	869.07
0.96	869.07
1.3	869.07
1.48	869.07
2.01	839.39
2.43	839.39
2.94	839.39
3.27	839.39
4.53	839.39
5.46	839.39
7.81	839.39
9.23	839.39
11.58	839.39
16.03	839.39
20.31	839.39
23.34	839.39
28.46	839.39
33.24	839.39
0.46	869.07
0.78	869.07
0.96	869.07
1.3	869.07
1.48	869.07
2.01	839.39
2.43	839.39
2.94	839.39
3.27	839.39
4.53	839.39
5.46	839.39
7.55	839.39
10.74	839.39
14.1	839.39
18.97	839.39
24.17	839.39
33.83	839.39
40.54	839.39
47.43	839.39